



CT APEX 502 ROYAL BLUE

Construction
Fiber Composition

Pile Treatment

i ite ireatilielit

Yarn Type

Loop

. 100% Solution Dyed

Olefin


INVISTA Anti-Soil Treatment (optional)

BCF

Pile Weight Total Weight Pile Height

Primary Backing Secondary Backing 580 g/m² 45000 g/m² 4-5 mm Non-Woven Stable-Shield-100% Vinyl APEX

50X50CM SQUARE TILE



CT APEX 701 GUNMETAL

Construction
Fiber Composition

Pile Treatment

Yarn Type

Loop

100% Solution Dyed

Olefin

INVISTA Anti-Soil Treatment (optional)

BCF

Pile Weight Total Weight Pile Height

Primary Backing Secondary Backing 580 g/m² 45000 g/m² 4-5 mm Non-Woven Stable-Shield-100% Vinyl



50X50CM SQUARE TILE



Construction Loop

Pile Treatment

Yarn Type

Fiber Composition 100% Solution Dyed

Olefin

INVISTA Anti-Soil

Treatment (optional) BCF

Pile Weight Total Weight Pile Height Primary Backing Secondary Backing 580 g/m² 45000 g/m² 4-5 mm Non-Woven Stable-Shield-100% Vinyl



50X50CM SQUARE TILE



CT APEX 702 SMOKE

Construction Fiber Composition

Pile Treatment

Yarn Type

Loop

100% Solution Dyed

Olefin

INVISTA Anti-Soil Treatment (optional)

BCF

Pile Weight Total Weight Pile Height

Primary Backing Secondary Backing 580 g/m² 45000 g/m² 4-5 mm Non-Woven Stable-Shield-100% Vinyl



50X50CM SQUARE TILE



Construction

Fiber Composition

Pile Treatment

Yarn Type

Loop

100% Solution Dyed

Olefin

INVISTA Anti-Soil Treatment (optional)

BCF

Pile Weight Total Weight Pile Height

Primary Backing Secondary Backing 580 g/m² 45000 g/m² 4-5 mm Non-Woven Stable-Shield-100% Vinyl



50X50CM SQUARE TILE



Construction Fiber Composition

Pile Treatment

Yarn Type

Loop

100% Solution Dyed

Olefin

INVISTA Anti-Soil Treatment (optional)

BCF

Pile Weight Total Weight Pile Height

Primary Backing Secondary Backing 580 g/m² 45000 g/m² 4-5 mm Non-Woven Stable-Shield-100% Vinyl





Construction

Fiber Composition

Pile Treatment

Yarn Type

Loop

100% Solution Dyed

Olefin

INVISTA Anti-Soil Treatment (optional)

BCF

Pile Weight Total Weight Pile Height

Primary Backing Secondary Backing 45000 g/m² 4-5 mm Non-Woven Stable-Shield-100% Vinyl

580 g/m²



50X50CM SQUARE TILE



CT APEX 202 AUBERGINE

Construction Fiber Composition

Pile Treatment

Yarn Type

Loop

100% Solution Dyed

Olefin

INVISTA Anti-Soil Treatment (optional)

BCF

Pile Weight Total Weight Pile Height

Primary Backing Secondary Backing 580 g/m² 45000 g/m² 4-5 mm Non-Woven Stable-Shield-100% Vinyl



50X50CM SQUARE TILE



Construction Fiber Composition

Pile Treatment

Yarn Type

Loop

100% Solution Dyed

Olefin

INVISTA Anti-Soil Treatment (optional)

BCF

Pile Weight Total Weight Pile Height

Primary Backing Secondary Backing 580 g/m² 45000 g/m² 4-5 mm Non-Woven Stable-Shield-100% Vinyl



50X50CM SQUARE TILE



CT ATOM 776 LIGHT GREY

Construction Fiber Composition

Pile Treatment

Yarn Type

Loop

100% Solution Dyed

Olefin

INVISTA Anti-Soil Treatment (optional)

BCF

Pile Weight Total Weight Pile Height Primary Backing


Secondary Backing

45000 g/m² 4-5 mm Non-Woven Stable-Shield-100% Vinyl

580 g/m²



50X50CM SQUARE TILE



CT ATOM 726 RED

Construction

Fiber Composition

Pile Treatment

Yarn Type

Loop

100% Solution Dyed

Olefin

INVISTA Anti-Soil Treatment (optional)

BCF

Pile Weight Total Weight Pile Height

Primary Backing Secondary Backing 580 g/m² 45000 g/m² 4-5 mm Non-Woven Stable-Shield-100% Vinyl



50X50CM SQUARE TILE



CT ATOM 755 BLUE

Construction

Fiber Composition

Pile Treatment

Yarn Type

Loop

100% Solution Dyed

Olefin

INVISTA Anti-Soil Treatment (optional)

BCF

Pile Weight
Total Weight
Pile Height
Primary Backing

Primary Backing Secondary Backing 580 g/m² 45000 g/m² 4-5 mm Non-Woven Stable-Shield-100% Vinyl APEX

50X50CM SQUARE TILE

DIVINE®

COMPLETE CARPET SOLUTION

