




DIVINE[®]

COMPLETE CARPET SOLUTION

PISSARO

WALL TO WALL
CARPET

PLAIN LOOP PILE



WALL TO WALL
CARPET

PISSARO

PLAIN LOOP PILE

WW PISSARO 98 GUNMETAL

Product Type	1/100" plain saxony silky look	Pile Weight	700/m ²
Width	400 cm	Total Weight	1,620g/m ²
Pile Content	100% Nylon	Pile Height	4mm
Primary Backing	Woven PP	Total Height	6mm
Secondary Backing	Twin Back	Thermal Resistance	0.09m ² K/W
Number of Points	213000 Sq.Mt.	Sound Insulation	25 dB
Fire Class	CFL-S 1(EN-13501-1) <small>Only with Full Adhesion</small>	Light Fastness	>= 5-6

KINDLY CHECK OUR APP FOR QUANTITY AVAILABLE BEFORE ORDERING



WALL TO WALL
CARPET

PISSARO

PLAIN LOOP PILE

WW PISSARO 96 ASH GREY

Product Type	1/100" plain saxony silky look	Pile Weight	700/m2
Width	400 cm	Total Weight	1,620g/m2
Pile Content	100% Nylon	Pile Height	4mm
Primary Backing	Woven PP	Total Height	6mm
Secondary Backing	Twin Back	Thermal Resistance	0.09m2 K/W
Number of Points	213000 Sq.Mt.	Sound Insulation	25 dB
Fire Class	CFL-S 1(EN-13501-1) <small>Only with Full Adhesion</small>	Light Fastness	>= 5-6

KINDLY CHECK OUR APP FOR QUANTITY AVAILABLE BEFORE ORDERING




WW PISSARO 95 SILVER

Product Type	1/100" plain saxony silky look	Pile Weight	700/m ²
Width	400 cm	Total Weight	1,620g/m ²
Pile Content	100% Nylon	Pile Height	4mm
Primary Backing	Woven PP	Total Height	6mm
Secondary Backing	Twin Back	Thermal Resistance	0.09m ² K/W
Number of Points	213000 Sq.Mt.	Sound Insulation	25 dB
Fire Class	CFL-S 1(EN-13501-1) <small>Only with Full Adhesion</small>	Light Fastness	>= 5-6

WALL TO WALL
CARPET

PISSARO

PLAIN LOOP PILE



WALL TO WALL
CARPET


PISSARO

PLAIN LOOP PILE

WW PISSARO 77 INK

Product Type	1/100" plain saxony silky look	Pile Weight	700/m2
Width	400 cm	Total Weight	1,620g/m2
Pile Content	100% Nylon	Pile Height	4mm
Primary Backing	Woven PP	Total Height	6mm
Secondary Backing	Twin Back	Thermal Resistance	0.09m2 K/W
Number of Points	213000 Sq.Mt.	Sound Insulation	25 dB
Fire Class	CFL-S 1(EN-13501-1) <small>Only with Full Adhesion</small>	Light Fastness	>= 5-6

KINDLY CHECK OUR APP FOR QUANTITY AVAILABLE BEFORE ORDERING



WALL TO WALL
CARPET


PISSARO

PLAIN LOOP PILE

WW PISSARO 72 PACIFIC

Product Type	1/100" plain saxony silky look	Pile Weight	700/m2
Width	400 cm	Total Weight	1,620g/m2
Pile Content	100% Nylon	Pile Height	4mm
Primary Backing	Woven PP	Total Height	6mm
Secondary Backing	Twin Back	Thermal Resistance	0.09m2 K/W
Number of Points	213000 Sq.Mt.	Sound Insulation	25 dB
Fire Class	CFL-S 1(EN-13501-1) <small>Only with Full Adhesion</small>	Light Fastness	>= 5-6

KINDLY CHECK OUR APP FOR QUANTITY AVAILABLE BEFORE ORDERING



WALL TO WALL
CARPET


PISSARO

PLAIN LOOP PILE

WW PISSARO 64 RHUBARB

Product Type	1/100" plain saxony silky look	Pile Weight	700/m2
Width	400 cm	Total Weight	1,620g/m2
Pile Content	100% Nylon	Pile Height	4mm
Primary Backing	Woven PP	Total Height	6mm
Secondary Backing	Twin Back	Thermal Resistance	0.09m2 K/W
Number of Points	213000 Sq.Mt.	Sound Insulation	25 dB
Fire Class	CFL-S 1(EN-13501-1) <small>Only with Full Adhesion</small>	Light Fastness	>= 5-6

KINDLY CHECK OUR APP FOR QUANTITY AVAILABLE BEFORE ORDERING



WALL TO WALL
CARPET

PISSARO

PLAIN LOOP PILE

WW PISSARO 52 CORAL

Product Type	1/100" plain saxony silky look	Pile Weight	700/m2
Width	400 cm	Total Weight	1,620g/m2
Pile Content	100% Nylon	Pile Height	4mm
Primary Backing	Woven PP	Total Height	6mm
Secondary Backing	Twin Back	Thermal Resistance	0.09m2 K/W
Number of Points	213000 Sq.Mt.	Sound Insulation	25 dB
Fire Class	CFL-S 1(EN-13501-1) <small>Only with Full Adhesion</small>	Light Fastness	>= 5-6

KINDLY CHECK OUR APP FOR QUANTITY AVAILABLE BEFORE ORDERING



WALL TO WALL
CARPET

PISSARO

PLAIN LOOP PILE

WW PISSARO 49 SESAME

Product Type	1/100" plain saxony silky look	Pile Weight	700/m2
Width	400 cm	Total Weight	1,620g/m2
Pile Content	100% Nylon	Pile Height	4mm
Primary Backing	Woven PP	Total Height	6mm
Secondary Backing	Twin Back	Thermal Resistance	0.09m2 K/W
Number of Points	213000 Sq.Mt.	Sound Insulation	25 dB
Fire Class	CFL-S 1(EN-13501-1) <small>Only with Full Adhesion</small>	Light Fastness	>= 5-6

KINDLY CHECK OUR APP FOR QUANTITY AVAILABLE BEFORE ORDERING



WALL TO WALL
CARPET

PISSARO

PLAIN LOOP PILE

WW PISSARO 47 STUCCO

Product Type	1/100" plain saxony silky look	Pile Weight	700/m2
Width	400 cm	Total Weight	1,620g/m2
Pile Content	100% Nylon	Pile Height	4mm
Primary Backing	Woven PP	Total Height	6mm
Secondary Backing	Twin Back	Thermal Resistance	0.09m2 K/W
Number of Points	213000 Sq.Mt.	Sound Insulation	25 dB
Fire Class	CFL-S 1(EN-13501-1) <small>Only with Full Adhesion</small>	Light Fastness	>= 5-6

KINDLY CHECK OUR APP FOR QUANTITY AVAILABLE BEFORE ORDERING



WALL TO WALL
CARPET

PISSARO

PLAIN LOOP PILE

WW PISSARO 39 SLATE

Product Type	1/100" plain saxony silky look	Pile Weight	700/m2
Width	400 cm	Total Weight	1,620g/m2
Pile Content	100% Nylon	Pile Height	4mm
Primary Backing	Woven PP	Total Height	6mm
Secondary Backing	Twin Back	Thermal Resistance	0.09m2 K/W
Number of Points	213000 Sq.Mt.	Sound Insulation	25 dB
Fire Class	CFL-S 1(EN-13501-1) <small>Only with Full Adhesion</small>	Light Fastness	>= 5-6

KINDLY CHECK OUR APP FOR QUANTITY AVAILABLE BEFORE ORDERING




WW PISSARO 36 CREAM

Product Type	1/100" plain saxony silky look	Pile Weight	700/m2
Width	400 cm	Total Weight	1,620g/m2
Pile Content	100% Nylon	Pile Height	4mm
Primary Backing	Woven PP	Total Height	6mm
Secondary Backing	Twin Back	Thermal Resistance	0.09m2 K/W
Number of Points	213000 Sq.Mt.	Sound Insulation	25 dB
Fire Class	CFL-S 1(EN-13501-1) <small>Only with Full Adhesion</small>	Light Fastness	>= 5-6

WALL TO WALL
CARPET

PISSARO

PLAIN LOOP PILE



WALL TO WALL
CARPET

PISSARO

PLAIN LOOP PILE

WW PISSARO 14 CRANBERRY

Product Type	1/100" plain saxony silky look	Pile Weight	700/m2
Width	400 cm	Total Weight	1,620g/m2
Pile Content	100% Nylon	Pile Height	4mm
Primary Backing	Woven PP	Total Height	6mm
Secondary Backing	Twin Back	Thermal Resistance	0.09m2 K/W
Number of Points	213000 Sq.Mt.	Sound Insulation	25 dB
Fire Class	CFL-S 1(EN-13501-1) <small>Only with Full Adhesion</small>	Light Fastness	>= 5-6

KINDLY CHECK OUR APP FOR QUANTITY AVAILABLE BEFORE ORDERING

DIVINE[®]

COMPLETE CARPET SOLUTION