



KIAMA

WALL TO WALL
CARPET

CUT PILE

DIVINE®

COMPLETE CARPET SOLUTION



WW KIAMA 90 SILVER

Construction	Cut Pile	Pile Weight	1000 gsm
Width	4m	Total Weight	1910 gsm
Pile Content	100 % Polypropylene	Pile Height	9.5 mm
Primary Backing	PP Woven	Total Height	12 mm
Secondary Backing	Felt Back	Thermal Resistance	0.16 (m².K/W)
Number of Knots/sqmt	141750	Sound Insulation	28 dB
Fire Class	Efl		

WALL TO WALL
CARPET

KIAMA

CUT PILE



WW KIAMA 97 METAL

Construction	Cut Pile	Pile Weight	1000 gsm
Width	4m	Total Weight	1910 gsm
Pile Content	100 % Polypropylene	Pile Height	9.5 mm
Primary Backing	PP Woven	Total Height	12 mm
Secondary Backing	Felt Back	Thermal Resistance	0.16 (m².K/W)
Number of Knots/sqmt	141750	Sound Insulation	28 dB
Fire Class	Efl		

WALL TO WALL
CARPET

KIAMA

CUT PILE



WW KIAMA 39 BEIGE

Construction	Cut Pile	Pile Weight	1000 gsm
Width	4m	Total Weight	1910 gsm
Pile Content	100 % Polypropylene	Pile Height	9.5 mm
Primary Backing	PP Woven	Total Height	12 mm
Secondary Backing	Felt Back	Thermal Resistance	0.16 (m².K/W)
Number of Knots/sqmt	141750	Sound Insulation	28 dB
Fire Class	Efl		

WALL TO WALL
CARPET

KIAMA

CUT PILE



WW KIAMA 98 GUNMETAL

Construction	Cut Pile	Pile Weight	1000 gsm
Width	4m	Total Weight	1910 gsm
Pile Content	100 % Polypropylene	Pile Height	9.5 mm
Primary Backing	PP Woven	Total Height	12 mm
Secondary Backing	Felt Back	Thermal Resistance	0.16 (m².K/W)
Number of Knots/sqmt	141750	Sound Insulation	28 dB
Fire Class	Efl		

WALL TO WALL
CARPET

KIAMA

CUT PILE



WW KIAMA 34 SEPIA

Construction	Cut Pile	Pile Weight	1000 gsm
Width	4m	Total Weight	1910 gsm
Pile Content	100 % Polypropylene	Pile Height	9.5 mm
Primary Backing	PP Woven	Total Height	12 mm
Secondary Backing	Felt Back	Thermal Resistance	0.16 (m².K/W)
Number of Knots/sqmt	141750	Sound Insulation	28 dB
Fire Class	Efl		

WALL TO WALL
CARPET

KIAMA

CUT PILE




WW KIAMA 17 BLUSH

Construction	Cut Pile	Pile Weight	1000 gsm
Width	4m	Total Weight	1910 gsm
Pile Content	100 % Polypropylene	Pile Height	9.5 mm
Primary Backing	PP Woven	Total Height	12 mm
Secondary Backing	Felt Back	Thermal Resistance	0.16 (m².K/W)
Number of Knots/sqmt	141750	Sound Insulation	28 dB
Fire Class	Efl		

WALL TO WALL
CARPET

KIAMA

CUT PILE




WW KIAMA 74 OCEAN

Construction	Cut Pile	Pile Weight	1000 gsm
Width	4m	Total Weight	1910 gsm
Pile Content	100 % Polypropylene	Pile Height	9.5 mm
Primary Backing	PP Woven	Total Height	12 mm
Secondary Backing	Felt Back	Thermal Resistance	0.16 (m².K/W)
Number of Knots/sqmt	141750	Sound Insulation	28 dB
Fire Class	Efl		

WALL TO WALL
CARPET

KIAMA

CUT PILE



WW KIAMA 11 CRANBERRY

Construction	Cut Pile	Pile Weight	1000 gsm
Width	4m	Total Weight	1910 gsm
Pile Content	100 % Polypropylene	Pile Height	9.5 mm
Primary Backing	PP Woven	Total Height	12 mm
Secondary Backing	Felt Back	Thermal Resistance	0.16 (m².K/W)
Number of Knots/sqmt	141750	Sound Insulation	28 dB
Fire Class	Efl		

WALL TO WALL
CARPET

KIAMA

CUT PILE

DIVINE[®]

COMPLETE CARPET SOLUTION